



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**  
REGION 2  
CARIBBEAN ENVIRONMENTAL PROTECTION DIVISION  
CITY VIEW PLAZA II BUILDING, 7<sup>TH</sup> FLOOR  
ROUTE 165 GUAYNABO, PUERTO RICO 00968

June 29, 2021

**Via Electronic Mail – [jorgevivoni@steri-tech.com](mailto:jorgevivoni@steri-tech.com)**

Jorge A. Vivoni Farage  
CEO  
Steri-Tech, Inc.  
PO Box 1145  
Salinas, PR 00751

**RE: NOTICE OF VIOLATION AND OPPORTUNITY TO CONFER: CAA-02-2021-1303**

Dear Mr. Vivoni:

The United States Environmental Protection Agency (EPA) issues the enclosed Notice of Violation (NOV) to Steri-Tech, Inc. (STI). EPA has determined that STI's facility, located in Salinas, Puerto Rico, is in violation of the Clean Air Act, 42 U.S.C. 7401 et seq., and the applicable requirements in 40 C.F.R. Part 63, Subpart O – Ethylene Oxide Emissions Standards for Sterilization Facilities, and the Puerto Rico Regulations for the Control of Atmospheric Pollution.

STI may request a conference to discuss the NOV. A request for a conference or other inquiries concerning the NOV should be made by contacting Alex Rivera, Enforcement Officer, at (787) 977-5845 and/or [rivera.alex@epa.gov](mailto:rivera.alex@epa.gov). If represented by counsel, please have your legal counsel contact Evelyn Rivera-Ocasio, Assistant Regional Counsel, at (787) 977-5859 and/or [rivera-ocasio.evelyn@epa.gov](mailto:rivera-ocasio.evelyn@epa.gov), within ten days of receiving this letter and the enclosed NOV.

Sincerely,

Carmen R. Guerrero Pérez  
Director  
Caribbean Environmental Protection Division

**Enclosure: Notice of Violation CAA-02-2021-1303**

cc: Jorge A. Vivoni Ortiz, Vice President and General Manager, Steri-Tech Inc.  
[avivoni@steri-tech.com](mailto:avivoni@steri-tech.com)

Luis R. Sierra, Chief, DNER Air Inspection and Compliance Division  
[luissierra@jca.pr.gov](mailto:luissierra@jca.pr.gov)